



BR45 GTO

Freedom = Distance / Time



BR45 GTO



Principle dimensions

Length LOA	13.7m
Beam Max inc. fenders	4.2m
Draft	0.9m
Displacement light ship estimate (<i>light ship = 500ltrs fuel + 4 persons</i>)	9500kg
Displacement full load estimate	11500kg
Fuel capacity approx.	1400 litres
Water capacity approx.	250 litres
Berths	2 + 2
CE Category	B

Engines and Drives Systems

Triple Mercury Verado V12 600hp

Performance (Predictive)

Speed (light ship)	up to 65 knots
Range	220 NM

Hull

Third generation (V2) BLADERUNNER triple stepped Air Entrapment Monohull (AEM)

Bonded light weight low profile integral foam fendering system

Construction

Lloyds approved UV resistant Isophthalic Gelcoat backed with Vinylester Powder - bound CSM Vinylester resin throughout. Advanced Multiaxial Fibreglass mats with Lightweight PVC foam girder and bulkheads with Carbon Fibre stiffening
PVC foam sandwich construction Hull, Deck & Superstructure
All composite materials LLOYDs or DNV approved
All fittings highest grade stainless steel

BR45 GTO Specification

Cockpit & Deck

Composite hard top with carbon stiffening and panoramic glass roof
Double curved bonded safety glass windscreen
Heavy duty windscreen wipers
Electric drop side cockpit windows
Electronic cockpit roof blind
Eight Ullman Dynamic Echelon suspension seats
Flexiteek 2G, Esthec or similar decking
LED cockpit sidewalk and step lighting
USB power outlets
Hot and cold swim shower
High powered Fusion audio system with cockpit and cabin controls, blue tooth, iphone and ipad compatible. 8 Fusion marine speakers driven by 2 x 1600 5 channel marine amplifiers.
Electric retractable cassette stainless steel swim ladder
Electric windlass with polished stainless steel anchor
High quality dimmable LED Cantalupi lighting
High quality underwater stern lighting
Large underdeck stowage compartment

Helm & Navigation

Radar mast with 24" HD Radome, GPS, VHF Antenna, Horn
Twin electronic engine controls (controlling all 3 engines)
Autopilot
Electric bow thruster with variable control
Joystick engine control
Zipwake electronic interceptors
VHF (DSC) Radio
AIS (Automatic Identification System) Class B
Helm & navigator networked 16" chartplotter stations
CZone electronic switching
High performance radar/speed/log/depth systems
LED navigation Lights

Galley

Halogen twin plate hob
Smeg microwave
Integrated refrigerator
High grade composite galley top
Sink with hot/cold pressurised fresh water system
Stowage lockers

Saloon

Saloon bench seat for 5 with carbon fibre telescopic table
30,000 btu air conditioning system with reverse cycle, vented to cabin and cockpit
Rear cuddy stowage / berth aft
Smart TV linked to premium Fusion audio entertainment system
High quality dimmable LED Cantalupi lighting
Mains sockets and USB power outlets
Stowage lockers
High quality headlinings and upholstery fabrics e.g. Silvertex

Heads Compartment

Ceramic toilet with electric seawater flush with sanitiser
Hot and cold water shower
Ceramic surface mounted sink with mixer tap
Bathroom fittings including towel rail, robe hook, soap dispenser, object holder, toilet roll holder, sanitary bin, WC cleaner.
High grade composite counter top
Stowage lockers
High quality headlinings
High quality dimmable LED Cantalupi Lighting

Services

230V AC Shore power via isolation transformer
Battery charger / 230V AC inverter system
Automatic bilge system with manual control
Calorifier with thermostat controlled immersion heater

Optional enhancements POA

Seakeeper 5 gyro stabilizer
Thermal night vision camera
Marine WiFi & marine 4G internet communication
230V 10Kw AC generator
Demountable rear sunshade with carbon fibre posts
Name and homeport signage
Acrylic polyurethane enamel paint applied to coloured surfaces to prevent fading
Natural teak decking
Forward suncushion